All Cases (/us/en/products/cases) > Protector (/us/en/products/cases/protector-cases) > 1560











1560 Protector Case

- Interior: 19.9" × 15" × 9"
- Strong polyurethane wheels with stainless steel bearings
- Watertight, crushproof, and dustproof
- 2 level Pick N Pluck™ with convoluted lid foam
- Automatic Pressure Equalization Valve balances interior pressure, keeps water out
- Comfortable rubber over-molded top and side handles
- Easy open Double Throw latches
- TrekPak Kit for 1560 (http://trekpak.com/trekpak-kit-for-1560/)

read more ✓
Colors
Request Commercial Quote (/us/en/professional/quote/cases/1560/)
Share
(http://www.facebook.com/sharer/sharer.php?u=www.pelican.com/product/cases/protector/1560) (https://twitter.com/intent/tweet?text=Pelican 1560 Protector Case -
@Pelican_Life&url=http://www.pelican.com/us/en/product/cases/protector/1560)

ACCESSORIES DESCRIPTION SPECS

EXTERIOR (L X W X D)

22.07" x 17.92" x 10.42" (56.1 x 45.5 x 26.5 cm)

LID DEPTH: 2.00" (5.1 cm)

BOTTOM DEPTH: 7.00" (17.8 cm)

TOTAL DEPTH: 9" (22.9 cm)

INT VOLUME: 1.55 ft³ (0.044 m³)

WEIGHT WITH FOAM: 20.00 lbs (9.1 kg)

WEIGHT EMPTY: 17.00 lbs (7.7 kg)
BUOYANCY: 115.00 lbs (52.2 kg)

FOAM LAYERS: Layer 1 (Lid): 1.94" - Convolute / Layer 2 (Base): 1.00" - Pad / Layer 3 (Base): 3.00" - Pick N Pluck

BODY: Polypropylene

LATCH: ABS

O-RING: Polymer

PINS: Stainless Steel

FOAM: 1.3 lb Polyurethane

PURGE BODY: ABS

PURGE VENT: 3 Micron Hydrophobic Non-Woven

MINIMUM TEMPERATURE: -40° F (-40 ° C)

MAXIMUM TEMPERATURE: 210° F (99 ° C)

WHEELS: 2

EXTENDABLE HANDLE: yes

SUPPORT CONFIGURATIONS

VIDEOS

Pelican TrekPak Case Divider System



YOU MAY ALSO LIKE



1440 Protector Top Loader Case

(/us/en/product/cases/top-loader-case/protector/1440)





1510 Protector Carry-On Case

(/us/en/product/cases/carry-on-case/protector/1510)



1535 Air Carry-On Case

(/us/en/product/cases/carry-on-case/air/1535)

About (/us/en/about/)

Our Story (/us/en/about/our-story/)

Leadership (/us/en/about/leadership/)

Behrman Capital (/us/en/about/behrman-capital/)

Careers (https://jobs.pelican.com/)

Press Releases (/us/en/about/press-releases/)

Pelican in the News (/us/en/about/in-the-news/)

Community Engagement (/us/en/about/community-

engagement/)

Support

Contact Us (/us/en/support/contact-us/)

Submit a Warranty Claim (/us/en/support/warranty/)

Dealer Login

(https://www.pelican.com/us/en/support/dealers/)

Guarantee of Excellence (/us/en/support/guarantee-of-

excellence/)

Technical Bulletins (/us/en/support/technical-bulletins/)

California Supply Chain Act (/us/en/support/ca-sb-657-

disclosure/)

1560 Protector Case | Pelican

DISCOVEI

Survival Stories (/us/en/discover/survival-stories/)

Videos (/us/en/discover/videos/)

Team Pelican (/us/en/discover/team-pelican/)

(https://www.youtube.com/user/pelicanprod

(https://www.linkedin.com/company/pelican-products-inc-/)

(https://www.pinterest.com/pelicanproducts, Pelican Life

(https://www.facebook.com/Pelican)

(https://www.instagram.com/pelican/)

(https://twitter.com/Pelican_Life)

Pelican Professional

(https://www.facebook.com/PelicanProfessio

(https://www.instagram.com/pelicanprofessic (https://twitter.com/pelicanproducts) (/us/en/professional/blog/)

© 2018 Pelican Products, Inc. | Site Map (/us/en/site-map/) | US / Global

Terms & Conditions (/us/en/about/terms-and-conditions/) | Privacy Policy (/us/en/about/privacy-policy/)